



Printing date 13.01.2021 Version number 2.1 Revision: 13.01.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Bizerba Maschinenöl (30ml)

*UFI:* 24JP-8QR5-H10H-428C

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Lubricant

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Bizerba SE & Co. KG Wilhelm-Kraut-Straße 65

72336 Balingen

Germany

Tel.: +49 (0) 7433 12-0 Fax: +49 (0) 7433 12-1350

vertrieb@bizerba.com

Further information obtainable from: Customer Service Department

## 1.4 Emergency telephone number:

Bizerba Helpline +49 7433/122 911 during normal opening times (Mon-Fri 9 a.m.-4 p.m.)

### **SECTION 2: Hazards identification**

## 2.1 Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** This substance is neither persistent, bioaccumulative nor toxic (PBT).

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

## 3.2 Chemical characterisation: Preparation

Description: Not classified as a dangerous preparation according to Directive 1272/2008/EC (GHS).

## Dangerous components:

CAS: 25189-70-2 1-Decene, homopolymer

EC number: 607-636-3

*50-<100%* 

(Contd. on page 2)

 Printing date 13.01.2021
 Version number 2.1
 Revision: 13.01.2021

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 1)

Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### General information:

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Personal protection for the First Aider.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Clean with water and soap. Generally the product is not irritant.

#### After eye contact:

Rinse opened eye for several minutes under running water. Remove contact lenses, continue rinsing. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth with water.

Do not induce vomiting.

At appearance of symptoms seek medical help.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet.

## 5.2 Special hazards arising from the substance or mixture

Formation of toxic/irritant gases is possible during heating or in case of fire.

Products of decomposition see chapter 10.

## 5.3 Advice for firefighters

#### Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep away unprotected persons.

Particular danger of slipping on leaked/spilled product.

Keep away from open flames, hot surfaces and sources of ignition.

Do not inhale vapours and aerosols.

Close leakage without taking personal risks.

## 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

In case of seepage into the ground inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

 Printing date 13.01.2021
 Version number 2.1
 Revision: 13.01.2021

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 2)

Dispose contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Prevent formation of aerosols.

Particular danger of slipping on leaked/spilled product.

Wash hands before brakes and at end of work

Do not eat, drink or smoke while working.

#### Information about fire - and explosion protection:

Keep away ignition sources - Do not smoke.

Do not spray onto a naked flame or any incandescent material.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

#### Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from food, beverage and feedingstuff.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Storage class: 10 - flammable liquid, flashpoint >60°C

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace: TWA: 5 mg/m³ (oil mist)

Additional information: The lists that were valid during the creation were used as basis.

## 8.2 Exposure controls

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

### Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter A/P2

### Protection of hands:



If the risk assessment necessitates, wear protective gloves. The glove material has to be impermeable/resistant against the product and be suitable for the tasks to be performed.

(Contd. on page 4)

Printing date 13.01.2021 Version number 2.1 Revision: 13.01.2021

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 3)

## Material of gloves

Use solvent/hydrocarbon resistant gloves. Suitable are gloves from: nitrile rubber (thickness >0,38 mm, breakthrough time > 480 min), fluorocarbon rubber (thickness >0,38 mm, breakthrough time > 480 min). The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Safety glasses with side protection (EN 166).

**Body protection:** Protective work clothing (EN 14605)

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
Change in condition	
Melting point/freezing point:	<-20 °C
Initial boiling point and boiling range	: Not determined.
Flash point:	210 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Upper:	
Oxidising properties	Non oxidising.
Density at 20 °C:	$0.83 \text{ g/cm}^3$
Relative density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Not miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Kinematic at 40 °C:	22 mm²/s
9.2 Other information	No further relevant information available.

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 4)

## SECTION 10: Stability and reactivity

10.1 Reactivity Stable under recommended storage conditions.

10.2 Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

Keep away from strong oxidants as well as reducing agents.

10.5 Incompatible materials: strong oxidants

#### 10.6 Hazardous decomposition products:

In case of fire:

CO2, CO, NOx, SOx

Phosphorus oxides

Under certain conditions of fire, other toxic/irritant substances may form.

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

## 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential Product is not bioaccumulative.
- 12.4 Mobility in soil The product is adsobed on soil.

#### General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

(Contd. on page 6)

Printing date 13.01.2021 Version number 2.1 Revision: 13.01.2021

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 5)

12.6 Other adverse effects At intended use no interferences with environment are known or expected.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods Recommendation





Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

#### European waste catalogue

13 02 06\* synthetic engine, gear and lubricating oils

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport informati	ion
14.1 UN-Number ADR, IMDG, IATA	not regulated
14.2 UN proper shipping name ADR, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	not regulated
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
IMDG Limited quantities (LQ)	not any

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 Void

not regulated

Hazard pictograms Void

UN "Model Regulation":

Signal word Void

Hazard statements Void

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 7)

 Printing date 13.01.2021
 Version number 2.1
 Revision: 13.01.2021

Trade name: Bizerba Maschinenöl (30ml)

(Contd. of page 6)

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Training hints

Upon request trainigs for to ensure safety of human health and of environment can be given. Contact see below.

#### Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Contact: Email: Bizerba.Kundendienst@bizerba.com

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

## Sources

Data of raw material suppliers.

GESTIS-Stoffdatenbank, Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung, https://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp.

GB